




Modern Fortran



Reusing this material



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

http://creativecommons.org/licenses/by-nc-sa/4.0/deed.en_US

This means you are free to copy and redistribute the material and adapt and build on the material under the following terms: You must give appropriate credit, provide a link to the license and indicate if changes were made. If you adapt or build on the material you must distribute your work under the same license as the original.

Note that this presentation contains images owned by others. Please seek their permission before reusing these images.



Acknowledgements

- A C Marshall from the University of Liverpool (funded by JISC/NTI) first presented this material. He acknowledged Steve Morgan and Lawrie Schonfelder.
- Helen Talbot and Neil Hamilton-Smith from the University of Edinburgh took the overheads from that course and worked on them to produce the associated Student Guide.
- Subsequent revisions of the material have been made by Adrian Jackson, Kenton D'Mellow and Steve Thorn from the University of Edinburgh (ARCHER and ECDF teams).



Who am I?

Adrian Jackson adrianj@epcc.ed.ac.uk
@adrianjhpc

- I...
 - Help run training for EPCC
 - MSc
 - PRACE Advanced Training Centre
 - ARCHER training programme
 - commercial training
 - ...
 - Also do HPC research
 - new parallel programming models, accelerators, performance, ...






EPSRC

ARCHER Service

Overview and Introduction





- UK National Supercomputer Service, managed by EPSRC
 - housed, operated and supported by EPCC
 - hardware Supplied by Cray
- Training provided by the ARCHER Computational Science and Engineering (CSE) support team
 - 72 days per year at various locations round the UK
 - free to all academics



EPCC's Advanced Computing Facility



ARCHER in a nutshell

- UK National Supercomputing Service
- Cray XC30 Hardware
 - Nodes based on 2×Intel Ivy Bridge 12-core processors
 - 64GB (or 128GB) memory per node
 - 4920 nodes in total (118,080 cores)
 - Linked by Cray Aries interconnect (dragonfly topology)
- Cray Application Development Environment
 - Cray, Intel, GNU Compilers
 - Cray Parallel Libraries (MPI, SHMEM, PGAS)
 - DDT Debugger, Cray Performance Analysis Tools



Storage

- /home – NFS, not accessible on compute nodes
 - For source code and critical files
 - Backed up
 - > 200 TB total
- /work – Lustre, accessible on all nodes
 - High-performance parallel filesystem
 - Not backed-up
 - > 4PB total
- RDF – GPFS, not accessible on compute nodes
 - > 20 PB Long term data storage



Key ARCHER Resources

- Upcoming courses
 - <http://www.archer.ac.uk/training/>
- Material from past courses
 - http://www.archer.ac.uk/training/past_courses.php
- Virtual tutorials (online)
 - <http://www.archer.ac.uk/training/virtual/>
- Documentation
 - <http://www.archer.ac.uk/documentation/>



Other Resources

- Please fill in the feedback form!
 - <http://www.archer.ac.uk/training/feedback/>
- General enquiries about ARCHER go to the helpdesk
 - support@archer.ac.uk
- EPCC runs one-year taught postgraduate masters courses
 - ***MSc in HPC*** and ***MSc in HPC with Data Science***
 - awarded by the University of Edinburgh since 2001
 - scholarships available
 - <http://www.epcc.ed.ac.uk/msc/>




What is EPCC?

- UK national supercomputer centre
 - founded in 1990 (originally Edinburgh Parallel Computing Centre)
 - a self-funding Institute at The University of Edinburgh
 - running national parallel systems since Cray T3D in 1994
 - around 65 full-time staff
 - a range of academic research and commercial projects
 - one-year postgraduate masters in HPC www.epcc.ed.ac.uk/msc/
- Get in contact if you want to collaborate
 - many staff are named RAs on research grants
 - joint research proposals
 - European project consortia
 - ...



Online accredited courses



The screenshot shows the website www.epcc.ed.ac.uk/online-courses. The page features a navigation menu with links for COURSES, APPLYING, FEES & FINANCE, and CAREER PROSPECTS. A prominent banner advertises "Online courses in Data Science and in High Performance Computing" with the tagline "Enhance Your Career!". Below this, two course listings are visible: "Practical Introduction to Data Science" and "Practical Introduction to High Performance Computing". The Data Science course description states: "Data Science is a rapidly emerging, interdisciplinary field bringing together ideas from computer science, mathematics, statistics, software engineering and beyond. This online course introduces the concepts of data science and allows students to gain the basic skills expected of a data scientist. More". The HPC course description states: "High Performance Computing (HPC) is a fundamental technology used in solving scientific and commercial problems. The course covers the concepts of HPC and allows students to explore them by running parallel programs on real HPC systems such as the UK national supercomputer ARCHER. More". The EPCC 25th Anniversary logo is also present in the top right corner.

- Run from January to May
 - entirely online: www.epcc.ed.ac.uk/online-courses/.
 - each course is 20 credits (c.f. a 180-credit MSc)



Access to ARCHER (during course)

- Guest accounts for duration of course
 - should only be used in the classroom
- Accounts will be closed immediately after the course
 - all files etc will be deleted
- Take copies of all your work before course ends!
- Course materials (slides, exercises etc) available from course web page
 - archived on ARCHER web pages for future reference
- You must agree to the ARCHER terms and conditions:
 - <http://www.archer.ac.uk/about-archer/policies/tandc.php>



Access to ARCHER (longer term)

- Various ways to apply for time on ARCHER
 - see <http://www.archer.ac.uk/access/>
- All require justification of resources
 - Instant Access has the lowest barrier to entry
 - designed for exploratory work, e.g. in advance of a full application
- Or take the “ARCHER Driving Test”
 - www.archer.ac.uk/training/course-material/online/driving_test.php
 - successful completion allows you to apply for an account for 12 months with an allocation of around 80,000 core-hours
 - backed up by online training materials
 - www.archer.ac.uk/training/course-material/online/



Learning Outcomes

- On completion of this course students should be able to:
 - Understand and develop modularised Fortran programs.
 - Compile and run Fortran programs on ARCHER.



Outline Timetable

- Day 1
 - 09:30 LECTURE: Fundamentals of Computer Programming
 - 10:15 PRACTICAL: Hello world
 - 10:30 LECTURE: Fundamentals of Fortran cont.
 - 11:00 BREAK: Coffee
 - 11:30 PRACTICAL: Formatting, simple input
 - 12:30 BREAK: Lunch
 - 13:30 LECTURE: Logical Operations and Control Constructs
 - 14:30 PRACTICAL: Numeric manipulation
 - 15:30 BREAK: Tea
 - 16:00 LECTURE: Arrays
 - 17:00 PRACTICAL: Arrays
 - 17:30 CLOSE



Outline Timetable

- Day 2
 - 09:30 PRACTICAL: Arrays (cont'd)
 - 10:15 LECTURE: Procedures
 - 11:15 BREAK: Coffee
 - 11:45 PRACTICAL: Procedures
 - 12:45 BREAK: Lunch
 - 13:45 LECTURE: Modules and Derived Types
 - 15:15 BREAK: Tea
 - 15:45 PRACTICAL: Modules, Types, Portability
 - 17:00 CLOSE



Modern Fortran



Fundamentals of Programming

- A computer must be given a set of unambiguous instructions (a program)
- Programming languages have a precise syntax. They can be:
 - high-level, like Fortran, C or Java
 - low-level, like assembler code
- A compiler translates high-level to low-level



Fortran

- Fortran comes from FORmula TRANslation
- Defined by an international standard
- Each update removes obsolescent features, corrects any mistakes, adds a few new features.



Character Set

- Alphanumeric:
 - a-z, A-Z, 0-9, underscore
 - lower case letters are equivalent to upper case letters
- 21 symbols, shown in the table on page 6



Tab

- Tab character is not in the Fortran character set
- Using a Tab may generate a warning message from the compiler



Intrinsic Data Types

- Two intrinsic type classes:
 - Numeric, for numerical calculations
 - integer
 - real
 - complex
 - Non-numeric, for text-processing and control
 - character
 - logical



Numeric Data Types

- Integer: stored exactly, often in the range $[-2147483648, 2147483647]$
- Real: stored as exactly as possible in the form of mantissa and exponent, *eg* 0.271828×10^1
- The range of the exponent is typically in $[-307, 308]$
- Complex: an ordered pair of real values



Integer literal constants

- An entity with a fixed value within some range

-333

-1

0

2

32767



Real literal constants

- An entity with a fixed value within some range

`-333.0`

`-1.0`

`0.`

`2.0`

`32767.0`

`3.2767E4`

`3.2767D4`



Non-numeric Data Types

- Character: for text-processing
- Logical: truth values for control



Character literal constants

- An entity with a fixed value

`"a"`

`"abc"`

`"abc and def"`

`"Isn't"`

`'Isn''t'`



Logical literal constants

- One of the two fixed values
 - .TRUE.
 - .FALSE.



Names

- Names may be assigned to programs, subprograms, memory locations (variables), labels
- Naming convention – names:
 - must be unique within programs
 - must start with a letter
 - may use letters, digits, and underscore
 - may not be longer than 31 characters



Spaces

- Spaces must not appear:
 - within keywords
 - within names
- Spaces must appear:
 - between keywords
 - between keywords and names
- integerage
- integer :: ag e



Implicit Typing

- An undeclared variable has an implicit type:
 - If 1st letter of name is in the range I to N then it is of type `INTEGER`
 - Otherwise it is of type `REAL`
- This is a terrible idea! Always use:

`IMPLICIT NONE`

which requires every variable to be declared.



Variable and value

- The formal syntax of a declaration of a variable of a given type is

```
<type>[, attribute-list] :: &  
    <variable-list> [=value]
```

```
INTEGER :: k = 4
```

```
REAL, PARAMETER :: pi = 3.14159
```



Numeric type declarations

INTEGER :: i, j

REAL :: p

COMPLEX :: cx



Non-numeric type declarations

```
LOGICAL      :: l1
```

```
CHARACTER   :: s
```

```
CHARACTER(LEN=12) :: st
```



Initial values

- Declaring a variable does not assign a value to it: until a value has been assigned the variable is known as an unassigned variable.

```
INTEGER :: i=1, j=2
```

```
REAL    :: p=3.0
```

```
COMPLEX :: cx=(1.0, 1.732)
```

```
cx = (2.0, 2.732)
```



Initial values

```
LOGICAL :: on=.TRUE., off=.FALSE.
```

```
CHARACTER :: s='a'
```

```
CHARACTER(LEN=12) :: st='abcdef'
```

- `st` will be padded to the right with 6 blanks



Initial values

- The only intrinsic functions which may be used in initialisation expressions are:
 - RESHAPE
 - SELECTED_INT_KIND
 - SELECTED_REAL_KIND
 - KIND



Constant values

- The parameter attribute is used to set an unalterable value in a variable:

```
REAL, PARAMETER :: pi = 3.141592
```

```
REAL, PARAMETER :: radius = 3.5
```

```
REAL :: circum = 2.0 * pi * radius
```

The variable `circum` does not inherit the attribute `PARAMETER`

```
pi = 4.0 ✘
```

```
radius = 1.0 ✘
```

```
circum = 5.0 ✓
```



Parameter attribute

- Scalar named constant of type character:

```
CHARACTER (LEN=*) , PARAMETER :: &  
    son='bart' , dad="Homer"
```

- This is equivalent to:

```
CHARACTER (LEN=4) , PARAMETER :: &  
    son='bart'  
CHARACTER (LEN=5) , PARAMETER :: &  
    dad="Homer"
```



Comments

- An exclamation mark makes the rest of the line a comment:

```
! Assign value 1 to variable i
```

```
i = 1      ! i holds the value 1
```

```
! Character context differs:
```

```
st = "No comment!"
```



Continuation lines

- Continuation lines (max. 39) are marked with an ampersand:

```
CHARACTER (LEN=*) , PARAMETER :: &
```

```
son = 'bart'
```

```
CHARACTER (LEN=*) , PARAMETER ::
```

```
& son = 'bart'
```

- Breaking character strings is possible (but recommended only if necessary)

```
CHARACTER (LEN=4) :: son = 'ba&
```

```
&rt'
```



Assignment

- All elements of this should be of the same type class (can mix numeric types)
- Each type class has its own set of operators

```
k = k + 1;    a = b - c
```

```
kinship = son// ' son of ' //dad
```

```
truth = p1.and.p2
```



Numeric operators

** exponentiation: exponent a scalar

* multiplication / division

+ addition - subtraction

Shown in decreasing order of precedence. The leftmost of two operators of the same precedence applied first.



Character operators

```
CHARACTER(LEN=6) :: str1="abcdef"
```

```
CHARACTER(LEN=3) :: str2="xyz"
```

```
str1(1:1)    ! Substring "a"
```

```
str1//str2   ! Concatenation
```

```
! giving "abcdefxyz"
```



Operator precedence

- Operators have the precedence shown in descending order in the table on page 11
- Parentheses () may be used
- Operators of equal precedence are applied in left to right sequence



Mixed type Numeric expressions

- Calculations must be performed (internally) between objs of the same type. This is not a restriction for the programmer
- Precedence of types is:
COMPLEX
REAL
INTEGER
- Result always of higher type



Mixed type assignment

`<integer variable> = <real expression>`

The `<real expression>` is evaluated, truncated, assigned to an `<integer variable>`

`<real variable> = <integer expression>`

The `<integer expression>` is evaluated, promoted to type real, assigned to a `<real variable>`



Integer division

- Any remainder is discarded:

$$12 / 4 \rightarrow 3$$

$$12 / 5 \rightarrow 2$$

$$12 / 6 \rightarrow 2$$

$$12 / 7 \rightarrow 1$$

REAL :: X

$$x = 12 / 5$$

- Can be fixed, i.e.:

$$12 / 5 . d0 \rightarrow 2 . 4$$



Procedure calls

- In the program on page 29 we have:
`SQRT (REAL (D)) ! D of type integer`
- `REAL` returns a type real value of its argument `D`
- `SQRT` needs a type real argument to return its square root



Numeric intrinsics

• ABS (A)	Absolute value	
• AIMAG (Z)	Imaginary part of a complex number	
• AINT (A, KIND)	Truncation to whole number	Optional KIND
• ANIN (A, KIND)	Nearest whole number	Optional KIND
• CEILING (A)	Least integer greater than or equal to number	
• CMPLX (X, Y, KIND)	Conversion to complex type	Optional Y, KIND
• CONJG (Z)	Conjugate of a complex number	
• DBLE (A)	Conversion to double precision real type	
• DIM (X, Y)	Positive difference	
• DPROD (X, Y)	Double precision real product	
• FLOOR (A)	Greatest integer less than or equal to number	
• INT (A, KIND)	Conversion to integer type	Optional KIND
• MAX (A1, A2, A3, ...)	Maximum value	Optional A3,...
• MIN (A1, A2, A3, ...)	Minimum value	Optional A3,...
• MOD (A, P)	Remainder function	
• MODULO (A, P)	Modulo function	
• NINT (A, KIND)	Nearest integer	Optional KIND
• REAL (A, KIND)	Conversion to real type	Optional KIND
• SIGN (A, B)	Transfer of sign	



Mathematical intrinsics

- ACOS (X) Arccosine
- ASIN (X) Arcsine
- ATAN (X) Arctangent
- ATAN2 (Y, X) Arctangent
- COS (X) Cosine
- COSH (X) Hyperbolic cosine
- EXP (X) Exponential
- LOG (X) Natural logarithm
- LOG10 (X) Common logarithm (base 10)
- SIN (X) Sine
- SINH (X) Hyperbolic sine
- SQRT (X) Square root
- TAN (X) Tangent
- TANH (X) Hyperbolic tangent



WRITE statement

```
WRITE (*, *) <output_list>
```

- Write the items of <output_list> to the default output device using default formatting
 - Write calls move on to a new line each time (automatically)

```
WRITE (*, *) "k =", k, I, j
```

```
WRITE (*, *) 'hello'
```



READ statement

```
READ (*, *) <input_list>
```

- Read the items of <input_list> from the default input device using default formatting
- Read calls would read a new line each time

```
READ (*, *) x, y
```



Writing a program

The main steps are:

1. Specify the problem
2. Analyse the steps to a solution
3. Write Fortran code
4. Compile the program and run tests



Format of Fortran code

- The program source code is essentially free format with:
 - up to 132 characters per line
 - significant spaces
 - ! Comments
 - & continuation lines of a statement
 - ; separating statements on a line



Program structure

```
PROGRAM optional_name  
! Specification part  
! Execution part  
END PROGRAM optional_name
```



Specification part

- Declare type and name of variables

```
IMPLICIT NONE
```

```
INTEGER :: i
```

```
REAL :: p, q
```

```
COMPLEX :: x
```

```
CHARACTER :: c
```

```
CHARACTER(LEN=12) :: cc
```



Execution part

```
WRITE(6, "(A)") "text string"  
READ(*, *) variable_name
```



Errors

- Compile time
 - Mistyped variable name
 - Syntactic error in code
- Run time
 - Numeric value falls outside valid range
 - Logical error takes execution to wrong part of program, maybe using unassigned variables



Practical 1a

- Try the questions on exercise sheet (or page 22 of course notes)
 - Practical Exercise 1: Qs 1, 3, and 4 only.
- Guest account:
 - Log on using SSH:
 - ssh -AX guest03@login.archer.ac.uk
 - Password: dfgdf?485Y
 - If you are using Windows or do not have SSH installed you will need to obtain an SSH client. One such client is Putty, which can be obtained here (or just search for it on the internet):
 - <http://the.earth.li/~sgtatham/putty/latest/x86/putty.exe>
 - <http://sourceforge.net/projects/xming/>



Compilers for practicals

- ARCHER has 3 compilers installed:
 - Cray, Intel, GNU
- By default Cray is active when you login
 - That's fine for this course
- Fortran compiler on ARCHER is called:
 - `ftn`
 - i.e.:
 - `guest05@eslogin001:~> ftn -o hello helloworld.f90`
 - `guest05@eslogin001:~> ./hello`



WRITE statement

```
WRITE (*, *) <output_list>
```

- Write the items of <output_list> to the default output device using default formatting

```
WRITE (*, *) "k =", k
```



WRITE statement

- `WRITE (unit=u, fmt=<format_specification>)`
`<output_list>`
- Write the items of `<output_list>` to the device identified as unit `u` using the `<format_specification>`

```
WRITE (unit=6, fmt="(A3, I4)") &  
    "
```

```
WRITE (6, "(A3, I4)") &  
    "k =", k
```



WRITE statement

- Each `WRITE` statement begins output on a new record
- The `WRITE` statement can transfer any object of intrinsic type to the standard output
- Be aware of the reserved unit numbers: 0, 5, 6
 - 0 Standard Error (error output)
 - 6 Standard output (screen or redirect)
 - 5 Standard input (keyboard or redirect)



READ statement

```
READ(*,*) <input_list>
```

- Read the items of <input_list> from the default input device using default formatting

```
READ(*,*) x, y
```



READ statement

```
READ (unit=u, fmt=<format_specification>)  
<input_list>
```

- Read the items of `<input_list>` from the device identified as unit `u` using the `<format_specification>`

```
READ (unit=5, fmt="(I4, F5.1)") i, r
```



Prompting for input

```
WRITE (*, "(a)", ADVANCE="no") &  
    "prompt text"
```

- Note that here the format specification has optionally been given as a character literal constant



File handling

- File name has to be linked to a unit number:

```
OPEN(unit=u, file=file_name)
```

- For example:

```
OPEN(unit=10, file="result")  
WRITE(unit=10, fmt="(i4, f4.1)") &  
i, r
```



File handling

- A file may be disconnected by reference to its unit number:

```
CLOSE (unit=u)
```

- For example:

```
CLOSE (unit=10)
```



End of file

- Can check if a read from file has been successful or has reached the end of file

```
integer :: myerr, x, y

open(14, file="file.dat")
do
  read(14, *, iostat=myerr) x, y
  if(myerr /= 0) exit
  write(*, *) x, y
end do
```



Formatting input and output

- Conversion between computer code for storing items and the characters on keyboard or screen
- An edit descriptor is needed for each item to be converted



Edit descriptor: integer

- I_w Integer value in a field w symbols wide, possibly including a negative sign

$I5$

- *bbbb1*
- -5600



Edit descriptor: floating point

- $F_w.d$ Floating point number, field width w with d digits after the decimal point

$F7.2$

- $bbb1.00$
- -273.18
- Decimal point is always present



Edit descriptor: exponential

- $E_w.d$ Exponential form, field width w with d digits after the decimal point

$E9.2$

- $b0.10E+01$
- $-0.27E+03$



Edit descriptor: logical

- L_w Logical value in field width w
- $L1$
- T
- $L2$
- bT



Edit descriptor: alphanumeric

- A_n Characters in field width n

“FOUR”

- A_3 FOU

- A_4 FOUR

- A_5 FOUR***b***

*b*FOUR

input

output



Edit descriptor: general

- $Gw.d$ General edit descriptor
- For real or complex: $Ew'.d'$ or $Fw'.d'$
 where $w' = w - 4$
- For integer: Iw
- For logical: Lw
- For character: Aw



Narrow field width

```
INTEGER :: i = 12345, j = -12345
```

```
WRITE(unit=6,fmt="(2I5)") i, j
```

```
12345*****
```



Spaces and newlines

- \backslash denotes a single space
- $n\backslash$ denotes n spaces
- \backslash denotes a newline
- $\backslash\backslash$ denotes 2 newlines
- $n\backslash$ denotes n newlines



Format specification

- This is a comma separated list of edit descriptors contained in (parentheses)
- There must be an edit descriptor for each item in the input or output list

(A4, F4.1, 2X, A5, F4.1)

(2A5) 2(A5, 1X)



Repeat factors

- For a single edit descriptor:

`(I2, I2, I2) → (3I2)`

- For a sequence of edit descriptors:

`(2X, A5, F4.1, 2X, A5, F4.1) → (2(2x, A5, F4.1))`

`write(*, "(A12)") "hello world!"`

- Format statement

- reusable format definition

`104 format(2(2x, A5, F4.1))`

`write(*, 104) ...`



Unequal counts

- Number of edit descriptors less than number of items in the list:

(3I2) I, J, K, L

I, J, K

1st record

L

2nd record



Unequal counts

- Number of edit descriptors more than number of items in the list:

(5I2) I, J, K, L

I, J, K, L

1 record only



Practical 1b

- Try the questions on exercise sheet (or page 22 of course notes)
 - Practical Exercise 1: Including Qs 2 and 5



Relational operators

- $>$ (.GT.) greater than
- $>=$ (.GE.) greater than or equal
- $<=$ (.LE.) less than or equal
- $<$ (.LT.) less than
- \neq (.NE.) not equal to
- $==$ (.EQ.) equal to
- Logical type result from numeric operands



Complex operands

- If either or both operands being compared are complex then the only operators allowed are:

$==$ and $/=$



Logical operators

- `.NOT.` `.true.` if operand `.false.`
- `.AND.` `.true.` if both operands `.true.`
- `.OR.` `.true.` if at least one operand `.true.`
- `.EQV.` `.true.` if both operands same
- `.NEQV.` `.true.` if both operands different



IF statement

```
IF (<logical-expression>) &  
    <executable-statement>
```

- Examples:

```
IF (x > y) a = 3
```

```
IF (I /= 0 .AND. J /=0) k=1/(i*j)
```

```
IF ((I /= 0) .AND. (J /=0)) & k=1/(i*j)
```



IF statement

- There is no shorthand for multiple tests on one variable
- Example: do J and K each hold the same value as I?
`IF (I == J .AND. I == K) ...`



Real-valued comparisons

```
REAL      :: a, b, tol=0.001
```

```
LOGICAL  :: same
```

```
! Assign values to a and b
```

```
IF (ABS(a-b) < tol) same=.TRUE.
```



IF...THEN construct

```
IF (i == 0) THEN  
! condition true  
    WRITE(*,*) "I is zero"  
! more statements could follow  
END IF
```



IF...THEN...ELSE construct

```
IF (i == 0) THEN
! condition true
    WRITE(*,*) "I is zero"
ELSE
! condition false
    WRITE(*,*) "I is not zero"
END IF
```



IF...THEN...ELSE IF construct

```
IF (I == 17) THEN
    Write(*,*) "I > 17"
ELSE IF (I >= 17) THEN
    Write(*,*) "I is 17"
ELSE
    Write(*,*) "I < 17"
END IF
```



Nested, Named IF constructs

```
outa: IF (a == 0) THEN
  Write(*,*) "a is 0"
  inna: IF (b > 0) THEN
    Write(*,*) "a is 0 and b > 0"
  END IF inna
END IF outa
```



SELECT CASE construct

```
SELECT CASE (i)
  CASE (2, 3, 5, 7)
    Write(6, "A10") "i is prime"
  CASE (10:)
    Write(6, " (A10)") "i >= 10"
  CASE DEFAULT
    Write(6, " (A22)") &
      "I not prime and I < 10"
END SELECT
```



Select case components

- The case expression must be scalar and of type INTEGER, LOGICAL or CHARACTER
- The case selector must be of the same type as the case expression



Unbounded DO loop

```
i = 0
```

```
DO
```

```
  i = i + 1
```

```
  Write(6, "(A4, I4)") "i is", i
```

```
END DO
```



Conditional EXIT from loop

```
i = 0
DO
  i = i + 1
  IF (i >= 100) EXIT
  Write(6, "(A4, I4)") "i is", i
END DO
! EXIT brings control to here
```



Conditional CYCLE in loop

```
i = 0
DO
  i = i + 1
  IF (i > 49 .AND. i < 60) CYCLE
  IF (i > 100) EXIT
  Write(6, "(A4,I4)") "i is ", i
END DO ! CYCLE brings control to here
! EXIT brings control to here
```



Named, Nested loops

```
outa: DO
  ina: DO
    IF (a > b) THEN
      finished = .true.
      EXIT outa
    IF (a == b) CYCLE outa
    IF (c > d) EXIT ina
  END DO ina
  if(finished) exit
END DO outa
```



Indexed DO loops

```
DO i = 1, 100, 1  
! i takes the values 1,2,3..100  
END DO
```

- Index variable *i* must be a named, scalar, integer variable
- *i* takes values from 1 to 100 in steps of 1
- *i* must not be explicitly modified in the loop
- Step is assumed to be 1 if omitted



Upper bound not met

```
DO I = 1, 30, 2
```

```
! I takes values 1, 3, ..., 27, 29
```

```
END DO
```



Index decremented

```
DO I = 30, 1, -2  
  ! I takes values 30, 28, ..., 4, 2  
END DO
```



Zero-trip loop

```
lower = 5
```

```
upper = 4
```

```
DO I = lower, upper
```

```
! Zero iterations, loop skipped
```

```
END DO
```



Missing stride

```
DO I = 1, 30  
  ! I takes values 1, 2, ..., 29, 30  
END DO
```



DO construct index

```
DO I = 1, n
  IF (I == k) EXIT
END DO
```

endif

- $n < 1$, zero trip, I given value 1
- $n > 1$ and $n \geq k$, I same value as k
- $n > 1$ and $n < k$, I has value $n+1$



Practical 2

- Try the questions in practical 2 (or on page 36 of the notes)
 - You will need the two files: `statsa` and `statsb`
 - <http://tinyurl.com/archerfiles>



Arrays

- An array is a collection of values of the same type
- Particular elements in an array are identified by subscripting



One-dimensional array

```
REAL, DIMENSION(1:15) :: X
```

```
REAL, DIMENSION(15) :: X
```

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----

- ```
REAL, DIMENSION(-7:7) :: Y
```

|    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| -7 | -6 | -5 | -4 | -3 | -2 | -1 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|



# Two-dimensional array

```
REAL, DIMENSION(1:5,1:3) :: Y, Z
```

|      |      |      |
|------|------|------|
| 1, 1 | 1, 2 | 1, 3 |
| 2, 1 | 2, 2 | 2, 3 |
| 3, 1 | 3, 2 | 3, 3 |
| 4, 1 | 4, 2 | 4, 3 |
| 5, 1 | 5, 2 | 5, 3 |





# Two-dimensional array

```
REAL, DIMENSION(-4:0, 3) :: B
```

|       |       |       |
|-------|-------|-------|
| -4, 0 | -4, 1 | -4, 2 |
| -3, 0 | -3, 1 | -3, 2 |
| -2, 0 | -2, 1 | -2, 2 |
| -1, 0 | -1, 1 | -1, 2 |
| 0, 0  | 0, 1  | 0, 2  |

# Array terminology

- Rank: number of dimensions, max 7
- Bounds: lower and upper limits of indices (default lower bound is 1)
- Extent: number of elements in a dimension
- Size: total number of elements
- Shape: ordered sequence of all extents
- Conformable: arrays of the same shape



# Array declarations

- Each named array needs a type and a dimension:

```
REAL, DIMENSION(15) :: x
```

```
REAL, DIMENSION(1:5,1:3) :: y,z
```

```
INTEGER, PARAMETER :: lda=5
```

```
LOGICAL, DIMENSION(1:lda) :: ld
```



# Array element ordering

- Fortran does not specify how arrays should be located in memory
- In certain situations element ordering is in column major form, *ie* the first subscript changes fastest



# Array element ordering

|   |    |    |
|---|----|----|
| 1 | 6  | 11 |
| 2 | 7  | 12 |
| 3 | 8  | 13 |
| 4 | 9  | 14 |
| 5 | 10 | 15 |

# Array conformance

- Arrays or sub-arrays conform if they have the same shape
- Conforming arrays can be treated as a single variable in an expression:

$$c = d$$
$$c = 1.0$$
$$c = a + b$$


# Conformance

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

$$C = D$$

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

valid



# Non-Conformance

|     |  |     |
|-----|--|-----|
| 1,1 |  |     |
|     |  |     |
|     |  |     |
|     |  |     |
|     |  | 5,3 |

$B = A$

|   |  |  |  |  |  |    |
|---|--|--|--|--|--|----|
| 1 |  |  |  |  |  | 15 |
|---|--|--|--|--|--|----|

same size, different shape: invalid





# Elements

$A(1) = 0.0$  ! set one element to zero

$B(0,0) = A(3) + C(5,1)$

! Set an element of B to

! the sum of two other elements



# Whole array expressions

`a = 0.0` ! scalar conforms to any shape

`b = c + d` ! `b, c, d` must be conformable

`e = sin(f) + cos(g)` ! and so must `e, f, g`



# Array Sections

- Specified by subscript-triplets for each dimension:
- [`<bound1>`] : [`<bound2>`] : [`<stride>`]
- `<bound1>`, `<bound2>` and `<stride>`
- must each be scalar integer expressions



# Array Sections

- `REAL, DIMENSION(1:15) :: A`
- `A(:)` whole array
- `A(m:)` elements `m` to 15 inclusive
- `A(:n)` elements 1 to `n` inclusive
- `A(m:n)` elements `m` to `n` inclusive
- `A(::2)` elements 1 to 15 in steps of 2
- `A(m:m)` 1 element section of rank 1



# Array Sections

- Given
- `REAL, DIMENSION(1:6, 1:8) :: P`
- `P(1:3, 1:4)` is a simple 3x4 sub-array
- `P(1:6:2, 1:8:2)` takes elements from alternate rows and alternate columns and is also a 3x4 sub-array



P(1:3,1:4)

|   |   |   |   |  |  |  |  |
|---|---|---|---|--|--|--|--|
| ■ | ■ | ■ | ■ |  |  |  |  |
| ■ | ■ | ■ | ■ |  |  |  |  |
| ■ | ■ | ■ | ■ |  |  |  |  |
|   |   |   |   |  |  |  |  |
|   |   |   |   |  |  |  |  |
|   |   |   |   |  |  |  |  |



P(1:6:2,1:8:2)

|   |  |   |  |   |  |   |  |
|---|--|---|--|---|--|---|--|
| ■ |  | ■ |  | ■ |  | ■ |  |
|   |  |   |  |   |  |   |  |
| ■ |  | ■ |  | ■ |  | ■ |  |
|   |  |   |  |   |  |   |  |
| ■ |  | ■ |  | ■ |  | ■ |  |
|   |  |   |  |   |  |   |  |



$P(3,2:7)$  rank-one       $P(3:3,2:7)$  rank-two

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |





# WHERE statement

```
WHERE (<logical-array-expr>) &
 <array-variable> = <expr>
```

For example:

```
WHERE (P > 0.0) P = log(P)
```



# WHERE construct

```
WHERE (<logical-array-expr>
 <array-assignments>
END WHERE
```

For example:

```
WHERE (P > 0.0)
 X = X + log(P)
 Y = Y - 1.0/P
END WHERE
```



# COUNT function

```
COUNT (<logical-array-expr>)
```

For example:

```
nonnegP = COUNT (P > 0.0)
```



# SUM function

SUM(<array>)

For example:

sumP = SUM(P)



# MOD function

For example:

$$\mathbb{P} = \text{MOD}(\mathbb{P}, 2)$$

replaces each element of  $\mathbb{P}$  by the remainder when that element is divided by 2



# Program `old_times` (page 46)

- Example uses:
  - `where, sum, count (and mod)`
  - Takes array sections `r1(1:n)` and `r2(1:n)`



# MINVAL function

`MINVAL (<array>)`

Returns the minimum value of an element of `<array>`

For example:

`minP = MINVAL (P)`



# MAXVAL function

`MAXVAL (<array>)`

Returns the maximum value of an element of `<array>`

For example:

`maxP = MAXVAL (P)`





# MINLOC function

MINLOC (<array>)

Returns a rank-one integer array of size equal to rank of <array> with the subscripts of the element of <array> with minimum value. MINLOC assumes the declared lower bounds of <array> were 1



# MINLOC function

```
REAL, DIMENSION(1:6,1:8) :: P
INTEGER, DIMENSION(1:2) :: PRC
! Assign values to P
PRC = MINLOC(P)
! PRC(1) returns row subscript
! PRC(2) returns column subscript
```



# MAXLOC function

MAXLOC (<array>)

Returns a rank-one integer array of size equal to rank of <array> with the subscripts of the element of <array> with maximum value. MAXLOC assumes the declared lower bounds of <array> were 1



# MAXLOC function

```
REAL, DIMENSION(1:6,1:8) :: P
INTEGER, DIMENSION(1:2) :: PRC
! Assign values to P
PRC = MAXLOC(P)
P(PRC(1),PRC(2))
! PRC(1) returns row subscript
! PRC(2) returns column subscript
```



# Program seek\_extremes (p48)

- Example uses:
  - `minval, maxval, minloc` and `maxloc` on the whole rank 2 array `magi`




# Array input/output

- Elements of an array of rank greater than 1 are stored in column major form
- For arrays of rank 2 the intrinsic function `TRANPOSE` changes rows and columns



# TRANSPOSE function

|   |   |   |
|---|---|---|
| 1 | 4 | 7 |
| 2 | 5 | 8 |
| 3 | 6 | 9 |



|   |   |   |
|---|---|---|
| 1 | 2 | 3 |
| 4 | 5 | 6 |
| 7 | 8 | 9 |



# Array constructors

Give arrays or array-sections specific values: arrays must be rank 1 and conform

```
INTEGER :: i
```

```
INTEGER, DIMENSION(1:8) :: ints
```

```
ints=(/100,1,2,3,4,5,6,100/)
```

```
ints=(/100,(i, i=1,6), 100/)
```





# RESHAPE intrinsic function

- Form is `RESHAPE (<source>, <shape>)`

`INTEGER, DIMENSION(1:2,1:2) :: a`

`a=RESHAPE (/1, 2, 3, 4/), (/2, 2/))`

|   |   |
|---|---|
| 1 | 3 |
| 2 | 4 |



# Named Array Constants

```
INTEGER, DIMENSION(3), &
 PARAMETER :: Unit_vec = (/1,1,1/)
```

```
INTEGER, DIMENSION(3,3), &
 PARAMETER :: Unit_matrix = &
 RESHAPE(/1,0,0,0,1,0,0,0,1/), (/3,3/))
```



# Allocatable array declaration

- Declare the array giving its type, rank, the attribute `allocatable`, and name:

```
REAL, DIMENSION(:), &
 ALLOCATABLE :: ages
```

```
REAL, DIMENSION(:, :), &
 ALLOCATABLE :: ages
```



# Allocatable array allocation

- Specify the bounds of the array and optionally check for success

```
ALLOCATE (ages (1:60), STAT=ierr)
```

- If the integer variable `ierr` returns 0 then the array `ages` has been allocated




# Deallocating arrays

```
DEALLOCATE (speed, STAT=ierr)
DEALLOCATE (SPEED)
```


```
IF (ALLOCATED(speed)) &
 DEALLOCATE (speed , STAT=ierr)
```




# DOT\_PRODUCT function



# MATMUL function



# multiplication operator





# Practical 3

- Try the questions in practical 3 (or on page 52 of the notes)



# Recap

- Names: a-z,A-Z,0-9
  - Must start with a letter
- Implicit none
- integer ::
- real,dimension(100) :: bob
- complex,dimension(-10:1,345) :: claire
- integer,allocatable,dimension(:)::fred
  - allocate(fred(100))
  - deallocate(fred)



# Recap

- `fred(10) = 4`
- `write(*,*) fred(4:12)`
- `open(12,file="/home/y14/y14/guest56/files/statas")`
- `close(12)`
- `write(12,*) fred(1)`
- `do i=1,100`
  - `write(12,*) fred(i)`
- `end do`



# Recap

- do
- if(....) exit
- end do
- By default arrays start a 1
  - Can modify so start and any number
  - real, dimension(-4:10,45:1000)
- Fortran column major
  - fred(i,j,k), i is stored contigiously in memory
  - So in a loop, i should be inner most loop
  - do k=1,100
  - do j=1,100
  - do i=1,100
  - fred(i,j,k) = i+j+k
  - ....
  - ....
  - ....



# Program units

- Fortran has two main program units:
- The main program, which can contain procedures
- A module, which can contain declarations and procedures
  - Modules will be described in the next lecture



# Procedures

- There are two types of procedure:
- function: a subprogram returning a result through the function name
- subroutine: a parameterised, named sub-program performing a particular task



# Procedures

- Written for specific repeated tasks
- Before writing your own, look at available collections such as the:
  - Intrinsic
  - NAG Fortran Library



# Intrinsic procedures

- Elemental
  - mathematical: `SIN(x)`, `LOG(x)`
  - numeric: `MAX(x1, x2)`, `CEILING(x)`
  - character: `ADJUSTL(str1)`
- Inquiry
  - array: `ALLOCATED(a)`, `SIZE(a)`
  - numeric: `PRECISION(x)`, `RANGE(x)`
- Transformational
  - array: `RESHAPE(a1, a2)`, `SUM(a)`
- Non-elemental
  - `DATE_AND_TIME`, `SYSTEM_CLOCK`





# Type conversion functions

- `REAL ( i )` converts the integer type value `i` to real type
- `INT ( x )` converts the real type value `x` to integer type (by truncation)
- `NINT ( x )` returns the integer value nearest to the real type value `x` (by rounding)



# Main program syntax

```
[PROGRAM [<main program name>]]
<declaration of local objs>
<executable statements>
[CONTAINS
<internal procedure definitions>]
END [PROGRAM [<main program name>]]
```



# Main program example

```
PROGRAM Main
 IMPLICIT NONE
 REAL :: x
 READ(*,*) x
 WRITE(*,"(F12.4)") Negative(x)
CONTAINS
 ! Real function Negative coded here
END PROGRAM Main
```



# Function syntax

```
[<prefix>] FUNCTION <proc-name> ([<dummy
args>])
<declaration of dummy args>
<declaration of local objs>
<executable statements, assigning result to
proc-name>
END [FUNCTION [<proc-name>]]
```



# Function example

```
PROGRAM Main
 IMPLICIT NONE
 ! Specification part
 ! Execution part
CONTAINS
 REAL FUNCTION Negative(a)
 REAL :: a
 INTEGER :: i
 Negative = -a
 END FUNCTION Negative
END PROGRAM Main
```



# Function example

```
PROGRAM Main
 IMPLICIT NONE
 ! Specification part
 ! Execution part
CONTAINS
 FUNCTION Negative(a)
 REAL :: a, Negative
 Negative = -a
 END FUNCTION Negative
END PROGRAM Main
```



# Function facts

- A value must be assigned to the function name within the body of the function
- Side-effects must be avoided. For example do not alter the value of any argument, do not read or write values. Use a subroutine if side-effects are unavoidable.



# Subroutine syntax

```
SUBROUTINE <proc-name> [(<dummy args>)]
<declaration of dummy args>
<declaration of local objs>
<executable statements>
END [SUBROUTINE [<proc-name>]]
```





# Subroutine example

```
PROGRAM Thingy
 IMPLICIT NONE
 ...
 CALL OutputFigures (NumberSet)
 ...
CONTAINS
 SUBROUTINE OutputFigures (Numbers)
 REAL, DIMENSION(:) :: Numbers
 WRITE (*, "(5F12.4)") Numbers
 END SUBROUTINE OutputFigures
END PROGRAM Thingy
```



# Argument association

- In the invocation

```
CALL OutputFigures (NumberSet)
```

and the declaration

```
SUBROUTINE OutputFigures (Numbers)
```

`NumberSet` is the actual argument which is argument associated with the dummy argument `Numbers`

- Arguments must agree in type



# Dummy argument intent

- `INTENT ( IN )`      can only be referenced - necessary if actual argument is a literal
- `INTENT ( OUT )`      must be assigned to before use
- `INTENT ( INOUT )`      can be referenced and assigned to



# Local objs

```
REAL FUNCTION Area(x, y, z)
REAL, INTENT(IN) :: x, y, z
REAL :: height, theta ! local object
theta = ... ! Use x, y, z
height = ... ! Use theta, x, y, z
Area = ... ! Use height and y
END FUNCTION Area
```



# Local objs

- are created when procedure invoked
- are destroyed when procedure completes
- do not retain values between calls



# SAVE attribute

- Allows local objs to retain their values between procedure invocations

```
SUBROUTINE Barmy(arg1, arg2)
REAL, INTENT(IN) :: arg1
REAL, INTENT(OUT) :: arg2
INTEGER :: NumInvocs
NumInvocs = 0
NumInvocs = NumInvocs + 1
```



# Scoping rules

- The scope of an entity is the range of program units where it is visible
- Internal procedures can inherit entities by host association
- objs declared in modules can be made visible by use association



# Host Association

```
PROGRAM CalculatePay
INTEGER :: NumberCalcsDone = 0
 ...
CONTAINS
 SUBROUTINE PrintPay(Pay, Tax)
 REAL, INTENT(IN) :: Pay, Tax
 ...
 NumberCalcsDone = ... !host assn
 END SUBROUTINE PrintPay
END PROGRAM CalculatePay
```





# Use Association

```
MODULE Tally
 INTEGER :: NumberCalcsDone
END MODULE Tally
PROGRAM CalculatePay
 USE Tally
 REAL :: GrossPay, TaxRate, Delta
 ...
 NumberCalcsDone = ... !use assn
END PROGRAM CalculatePay
```



# Scope of Names

```
PROGRAM Proggie
 REAL :: A, B, C
 CALL Sub(A)
CONTAINS
 SUBROUTINE Sub(D)
 REAL :: D; REAL :: C
 B=...; C=...; D=...
 END SUBROUTINE Sub
END PROGRAM Proggie
```



# Dummy array arguments

- Two types of dummy array argument:
  - Explicit shape – all the bounds are specified. The actual argument must conform in size and shape.
  - Assumed shape – all the bounds are inherited from the actual argument which must conform in rank



# Explicit-shape

```
REAL, DIMENSION(8,8), INTENT(IN) :: &
 expl_shape
```

- Actual argument must be of type real, have size 64 and shape 8,8
- In this subprogram the bounds are 1:8,1:8 whatever they may be in the calling unit



# Assumed-shape

```
REAL, DIMENSION (:, :), INTENT (IN) :: &
 assum_shape
```

- Actual argument here must have rank 2
- In the subprogram the lower bounds are 1 unless another value is given, whatever they may be in the calling unit

```
REAL, DIMENSION (0:, 0:), &
 INTENT (IN) :: assum_shape
```

- If subroutine not contained in Program and uses assumed shape arrays Interface is necessary



# External function

- An external function is defined outside the body of the program which uses it. The program needs to inform the compiler of the type of this function and that it is external.

```
REAL :: Negative
```

```
EXTERNAL :: Negative
```

```
REAL, EXTERNAL :: Negative
```



# Compiling Fortran Programs

```
ftn -o hello hello.f90 bob.f90
```

```
ftn -c hello.f90
```

```
ftn -c bob.f90
```

```
ftn -o hello hello.o bob.o
```



# Makefiles

```
objs = global.o main.o function1.o subroutine1.o
f90comp = ftn
fflags = -O3
Makefile
execname: $(objs)
 $(f90comp) -o execname $(fflags) $(objs)
global.mod: global.o global.f90
 $(f90) -c $(fflags) global.f90
global.o: global.f90
 $(f90) -c $(fflags) global.f90
main.o: global.mod main.f90
 $(f90) -c $(fflags) main.f90
function1.o: global.mod function1.f90
 $(f90) -c $(fflags) function1.f90
%.o: %.f90
 $(f90) -c $(fflags) $<
Cleaning everything
clean:
 rm $(objs) *.mod execname
```





# Practical 4

- Try the questions in practical 4 (or on page 67 of the notes)



# Modules

- Constants and procedures can be encapsulated in modules for use in one or more programs



# Points about modules

- Within a module, functions and subroutines are known as module procedures
- Module procedures can contain internal procedures
- Module objs can be given the `SAVE` attribute
- Modules can be `USED` by procedures and modules
- Modules must be compiled before the program unit which uses them.



# Module syntax

```
MODULE module-name
[<declarations and specification statements>]
[CONTAINS
<module-procedures>]
END [MODULE [module-name]]
```



# Module example

```
MODULE Triangle_Operations
 IMPLICIT NONE
 REAL, PARAMETER :: pi=3.14159
CONTAINS
 FUNCTION theta(x,y,z)
 ...
 END FUNCTION theta
 FUNCTION Area(x,y,z)
 ...
 END FUNCTION Area
END MODULE Triangle_operations
```



# Using modules

```
PROGRAM TriangUser
 USE Triangle_Operations
 IMPLICIT NONE
 REAL :: a, b, c
```



# Restricting visibility

- The visibility of an object declared in a module can be restricted to that module by giving it the attribute `PRIVATE`

```
REAL :: Area, theta
```

```
PUBLIC !confirm default
```

```
PRIVATE :: theta !restrict
```

```
REAL, PRIVATE :: height!restrict
```



# USE rename syntax

```
USE <module-name> &
 [, <new-name> => <use-name>]
```





# Use Rename example

```
USE Triangle_Operations, &
 Space => Area
```



# USE ONLY syntax

```
USE <module-name> [, ONLY : <only-list>]
```

```
Use Triangle_Operations, only : Pi
```



# Use Only example

```
USE Triangle_operations, ONLY: &
 pi, Space => Area
```



# DERIVED types

```
TYPE COORDS_2D
 REAL :: x, y
END TYPE COORDS_2D
!
TYPE (COORDS_2D) :: pt1, pt2
```



# Supertypes

```
TYPE SPHERE
 TYPE(COORDS_3D) :: centre
 REAL :: radius
END TYPE SPHERE

!
TYPE(SPHERE) :: bubble, ball
```



# Components of an object

- An individual component of a derived type object can be selected by using the % operator:

```
pt1%x(10) = 3.0
```

```
ball%radius = 1.0
```

```
ball%centre%x = 0.0
```



# Whole object assignment

- Use the derived type name as a constructor:

```
pt1 = COORDS_3D(3.0, 4.0, 5.0)
pt1%x = 3.0
pt1%y = 4.0
pt1%z = 5.0
ball = SPHERE(centre=pt1, radius=5.0)
```



# Input or Output

- Components are accessed in defined order, for example:

```
ball%centre%x
```

```
ball%centre%y
```

```
ball%centre%z
```

```
ball%radius
```





# True portability

- The range and precision of numeric values are not defined in the language but are dependent on the computer system used
- For integers, `RANGE ( i )`, and for reals `RANGE ( x )` return the range of values supported
- For reals, `PRECISION ( x )` returns the precision to which values are held



# Properties of integers

- Integer values are always stored exactly so it is only necessary to define their range.
- The intrinsic function `SELECTED_INT_KIND (<range> )`
- returns an integer `KIND` value which can be used to declare integers of this kind.



# Integers of chosen kind

```
INTEGER, PARAMETER :: &
 ik9 = SELECTED_INT_KIND(9)
INTEGER(KIND=ik9) :: i
```

- `ik9` is non-negative if the desired range of integer values,  $-10^9 < n < 10^9$  can be achieved



# Properties of reals

```
SELECTED_REAL_KIND &
(<precision>, <range>)
```

- returns an integer `KIND` value which can be used to declare reals with the chosen properties
- It returns -1 if the precision cannot be achieved, and -2 if the range cannot be achieved



# Reals of chosen kind

```
INTEGER, PARAMETER :: &
 rk637 = SELECTED_REAL_KIND(6,37)
REAL(KIND=rk637) :: x
```



# Constants and KIND

```
INTEGER(KIND=ik9) :: I = 7_ik9
```

```
REAL(KIND=rk637) :: x = 5.0_rk637
```

```
INTEGER(KIND=8) :: I
```

```
REAL(KIND=8) :: x
```

```
INTEGER*8 I
```

```
REAL*8 x
```



# Practical 5

- Try the questions in practical 5 (or on page 77 of the notes)



# Bibliography

Fortran95/2003 explained  
Michael Metcalf, John Reid, Malcolm Cohen.  
Oxford University Press  
ISBN 0 19 852693 8

Fortran 90 Programming  
T.M.R.Ellis, Ivor R.Philips, Thomas M.Lahey  
Addison-Wesley  
ISBN 0-201-54446-6

Fortran 90/95 for Scientists and Engineers  
Stephen J.Chapman  
McGraw Hill  
ISBN 007-123233-8





# Summary and useful information



# Access to ARCHER

- Various ways to apply for time on ARCHER
  - Standard research grant
    - Request Technical Assessment using form on ARCHER website
    - Submit completed TA with notional cost in Je-S
    - Apply for time for maximum of 2 years
  - ARCHER Resource Allocation Panel (RAP)
    - Request Technical Assessment using form on ARCHER website
    - Submit completed TA with RAP form
    - Every 4 months
  - Application for computer time only
    - Instant Access – Pump-Priming Time
    - Request Technical Assessment using form on ARCHER website
    - Submit completed TA with 2 page description of work
  - see <http://www.archer.ac.uk/access/>
- All require justification of resources
  - Instant Access has the lowest barrier to entry
  - designed for exploratory work, e.g. in advance of a full application
- Or take the “ARCHER Driving Test”
  - [www.archer.ac.uk/training/course-material/online/driving\\_test.php](http://www.archer.ac.uk/training/course-material/online/driving_test.php)
  - successful completion allows you to apply for an account for 12 months with an allocation of around 80,000 core-hours
  - backed up by online training materials
  - [www.archer.ac.uk/training/course-material/online/](http://www.archer.ac.uk/training/course-material/online/)



# Support and Documentation

Helpdesk

Email [support@archer.ac.uk](mailto:support@archer.ac.uk)

via ARCHER SAFE <http://www.archer.ac.uk/safe>

phone: +44 (0)131 650 5000

By post, to:

ARCHER Helpdesk

EPCC

James Clerk Maxwell Building

Peter Guthrie Tait Road

EDINBURGH EH9 3FD

<http://www.archer.ac.uk/community/techforum/>

<http://www.archer.ac.uk/documentation/>



# Training opportunities

- ARCHER Training (free to academics)
  - <http://www.archer.ac.uk/training/>
- Online sessions (using *Blackboard Collaborate*)
  - Technical Forum meetings (normally 15:00 last Wednesday of month)
    - technical presentations of interest to ARCHER users
    - <http://www.archer.ac.uk/community/techforum/>
  - Virtual tutorials (normally 15:00 second Wednesday of month)
    - opportunity for discussion with ARCHER staff on **any** topic
    - usually starts with a presentation of general interest
    - <http://www.archer.ac.uk/training/virtual/>
- EPCC MSc in HPC (scholarships available)
  - <http://www.epcc.ed.ac.uk/msc/>



# Funding calls

- Embedded CSE support
  - Through a series of regular calls, Embedded CSE (eCSE) support provides funding to the ARCHER user community to develop software in a sustainable manner for running on ARCHER. Funding will enable the employment of a researcher or code developer to work specifically on the relevant software to enable new features or improve the performance of the code
  - Apply for funding for development effort
  - Sixth call currently open
  - Latest call just closed (10<sup>th</sup> May).
  - Happen every 4 months
- See <http://www.archer.ac.uk> for details



# Feedback and follow-up

<http://www.archer.ac.uk/training/feedback/>

You can ask questions at all virtual tutorials

<http://www.archer.ac.uk/training/virtual/>

